

## AXIUM 15000

---

AXIUM 15000 | Outdoor flood- and spotlights



- Hard-to-reach areas (for example: facades, roof top billboards)
- Illumination of billboards (of up to 3 m height)
- Flood light applications
- Security lighting
- Facade and building illumination

### Product benefits

---

- Slim and sleek design
- Optimal operation thanks to integrated heat sink
- Flexible positioning
- Stirrup bracket for up to 180° tilting
- Tested quality
- Dust and water protection according to IP67
- Long lifetime thanks to LED technology
- Lower maintenance costs

### Product features

---

- Durable and energy-saving LED luminaire
- Material: Die-cast aluminum
- Type of protection: IP67



## Technical data

---

### Electrical data


Operating mode	Electronic control gear (ECG)
Nominal wattage	120.00 W
Mains frequency	50...60 Hz

### Light technical data

Luminous flux	9800 lm
---------------	---------

### Dimensions & weight

Length	410.0 mm
Height	386.0 mm
Depth	86.0 mm



Product line drawing

## Colors & materials

Body material	Aluminum
Product color	Black
Cover material	Tempered glass

## Lifespan

Lifespan	50000 h
----------	---------

## Additional product data

Number of lighting outlets	1
Equipment	LED

## Capabilities

Type of installation	Screws
Type of connection	Cable/Connector

## Certificates & standards

Protection class	insulation class I (protective earthing)
Type of protection	IP67

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.